


GRAND OPENINGS BY UDI, INC

HORIZONTAL EXTENSION FRAMING




- Unit Horizontal extensions can be either 2", 8", 10", 12" or 16" long to accommodate small corbels or large columns. The horizontal extensions can either be coped (see page 23), mitered (see page 23), or with extended capitals (drawing on page 4) to achieve the desired design.
- Units to accommodate columns are available in Elliptical and Eyebrow.
- Extended Capitals are typically used with an arcade of arches.
- Columns are not included.

	Coped Horizontal Extensions	Mitered Horizontal Extensions	Extended Capitals
Profile Availability	All Profiles except #430 or #510	All Profiles	All Profiles
Keystone	Yes	Yes	Yes
Recessed Panels	Yes- Panels will not be on Horizontal Extension to allow for column/corbel placement	Yes- Panels will not be on Horizontal Extension to allow for column/corbel placement	Yes- Panels will not be on Horizontal Extension to allow for column/corbel placement
Backband #175	#500, #510, #520, #560, #460, #420, #430- Backband will only be on curved header.	#500, #510, #520, #560, #460, #420, #430 - Backband will be on curved header and straights	#500, #510, #520, #560, #460, #420, #430 - Backband will only be on curved header .
Backband #106	#500, #510, #520, #560, #460, #420, #430- Backband will only be on curved header.	#500, #510, #520, #560, #460, #420, #430 - Backband will be on curved header and straights.	#500, #510, #520, #560, #460, #420, #430 - Backband will only be on curved header .
#625 Fluted Pilaster	Not Available	Not Available	Not Available

Elliptical Horizontal Extensions Framing Specs - 12" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
62-2",12"rise	62min - 65"max	59	22	10	10	6	2	13 3/8
62-8",12"rise		"	16	9 1/2	9 1/2	6	8	13 3/8
62-10",12"rise		"	15	9	9 1/2	6	10	13 3/8
62-12",12"rise		"	14	8 1/2	8 1/2	5 1/2	12	13 3/8
62-16",12"rise		"	12	8 1/2	8 1/2	5 1/2	16	13 3/8
66-2",12"rise	66min - 69"max	63	22	10	10	6	2	13 3/8
66-8",12"rise		"	17	9 1/2	9 1/2	6	8	13 3/8
66-10",12"rise		"	16	9 1/2	9 1/2	6	10	13 3/8
66-12",12"rise		"	15	9	9 1/2	6	12	13 3/8
66-16",12"rise		"	12	8 1/2	8 1/2	5 1/2	16	13 3/8
70-2",12"rise	70min - 73"max	67	24	10	10	5 1/2	2	13 3/8
70-8",12"rise		"	19	9 1/2	9 1/2	6	8	13 3/8
70-10",12"rise		"	17	9 1/2	9 1/2	6	10	13 3/8
70-12",12"rise		"	16	9 1/2	9 1/2	6	12	13 3/8
70-16",12"rise		"	14	8 1/2	8 1/2	5 1/2	16	13 3/8
74-2",12"rise	74min - 77"max	71	24	10	10	5 1/2	2	13 3/8
74-8",12"rise		"	22	10	10	6	8	13 3/8
74-10",12"rise		"	19	9 1/2	9 1/2	6	10	13 3/8
74-12",12"rise		"	17	9 1/2	9 1/2	6	12	13 3/8
74-16",12"rise		"	15	9	9 1/2	6	16	13 3/8
78-2",12"rise	78min - 81"max	75	27	10 1/2	10 1/2	5 1/2	2	13 3/8
78-8",12"rise		"	22	10	10	6	8	13 3/8
78-10",12"rise		"	22	10	10	6	10	13 3/8
78-12",12"rise		"	19	9 1/2	9 1/2	6	12	13 3/8
78-16",12"rise		"	16	9 1/2	9 1/2	6	16	13 3/8
82-2",12"rise	82min - 85"max	79	27	10 1/2	10 1/2	5 1/2	2	13 3/8
82-8",12"rise		"	24	10	10	5 1/2	8	13 3/8
82-10",12"rise		"	22	10	10	6	10	13 3/8
82-12",12"rise		"	22	10	10	6	12	13 3/8
82-16",12"rise		"	17	9 1/2	9 1/2	6	16	13 3/8
86-2",12"rise	86min - 89"max	83	30	10 1/2	10 1/2	5 1/2	2	13 3/8
86-8",12"rise		"	24	10	10	5 1/2	8	13 3/8
86-10",12"rise		"	24	10	10	5 1/2	10	13 3/8
86-12",12"rise		"	22	10	10	6	12	13 3/8
86-16",12"rise		"	19	9 1/2	9 1/2	6	16	13 3/8
90-2",12"rise	90min - 93"max	87	30	10 1/2	10 1/2	5 1/2	2	13 3/8
90-8",12"rise		"	27	10 1/2	10 1/2	5 1/2	8	13 3/8
90-10",12"rise		"	24	10	10	5 1/2	10	13 3/8
90-12",12"rise		"	24	10	10	5 1/2	12	13 3/8
90-16",12"rise		"	22	10	10	6	16	13 3/8
94-2",12"rise	94min - 97"max	91	33	10 1/2	10 1/2	5 1/2	2	13 3/8
94-8",12"rise		"	27	10 1/2	10 1/2	5 1/2	8	13 3/8
94-10",12"rise		"	27	10 1/2	10 1/2	5 1/2	10	13 3/8
94-12",12"rise		"	24	10	10	5 1/2	12	13 3/8
94-16",12"rise		"	22	10	10	6	16	13 3/8



Elliptical Horizontal Extensions Framing Specs - 12" Rise


Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
98-2", 12"rise	98min - 101"max	95	33	10 1/2	10 1/2	5 1/2	2	13 3/8
98-8", 12"rise		"	30	10 1/2	10 1/2	5 1/2	8	13 3/8
98-10", 12"rise		"	27	10 1/2	10 1/2	5 1/2	10	13 3/8
98-12", 12"rise		"	27	10 1/2	10 1/2	5 1/2	12	13 3/8
98-16", 12"rise		"	24	10	10	5 1/2	16	13 3/8
102-2", 12"rise	102"min - 105"max	99	35	10 1/2	10 1/2	5 1/2	2	13 3/8
102-8", 12"rise		"	30	10 1/2	10 1/2	5 1/2	8	13 3/8
102-10", 12"rise		"	30	10 1/2	10 1/2	5 1/2	10	13 3/8
102-12", 12"rise		"	27	10 1/2	10 1/2	5 1/2	12	13 3/8
102-16", 12"rise		"	24	10	10	5 1/2	16	13 3/8
106-2", 12"rise	106"min - 109"max	103	35	10 1/2	10 1/2	5 1/2	2	13 3/8
106-8", 12"rise		"	33	10 1/2	10 1/2	5 1/2	8	13 3/8
106-10", 12"rise		"	30	10 1/2	10 1/2	5 1/2	10	13 3/8
106-12", 12"rise		"	30	10 1/2	10 1/2	5 1/2	12	13 3/8
106-16", 12"rise		"	27	10 1/2	10 1/2	5 1/2	16	13 3/8
110-2", 12"rise	110" min - 113"max	107	35	10 1/2	10 1/2	5 1/2	2	13 3/8
110-8", 12"rise		"	33	10 1/2	10 1/2	5 1/2	8	13 3/8
110-10", 12"rise		"	33	10 1/2	10 1/2	5 1/2	10	13 3/8
110-12", 12"rise		"	30	10 1/2	10 1/2	5 1/2	12	13 3/8
110-16", 12"rise		"	27	10 1/2	10 1/2	5 1/2	16	13 3/8
114-2", 12"rise	114" min - 117"max	111	35	10 1/2	10 1/2	5 1/2	2	13 3/8
114-8", 12"rise		"	35	10 1/2	10 1/2	5 1/2	8	13 3/8
114-10", 12"rise		"	33	10 1/2	10 1/2	5 1/2	10	13 3/8
114-12", 12"rise		"	33	10 1/2	10 1/2	5 1/2	12	13 3/8
114-16", 12"rise		"	30	10 1/2	10 1/2	5 1/2	16	13 3/8
118-2", 12"rise	118"min - 121"max	115	36	10 1/2	10 1/2	5 1/2	2	13 3/8
118-8", 12"rise		"	35	10 1/2	10 1/2	5 1/2	8	13 3/8
118-10", 12"rise		"	35	10 1/2	10 1/2	5 1/2	10	13 3/8
118-12", 12"rise		"	33	10 1/2	10 1/2	5 1/2	12	13 3/8
118-16", 12"rise		"	30	10 1/2	10 1/2	5 1/2	16	13 3/8
122-2", 12"rise	122"min - 125"max	119	36	10 1/2	10 1/2	6	2	13 3/8
122-8", 12"rise		"	35	10 1/2	10 1/2	5 1/2	8	13 3/8
122-10", 12"rise		"	35	10 1/2	10 1/2	5 1/2	10	13 3/8
122-12", 12"rise		"	35	10 1/2	10 1/2	5 1/2	12	13 3/8
122-16", 12"rise		"	33	10 1/2	10 1/2	5 1/2	16	13 3/8
126-2", 12"rise	126" min- 129"max	123	41	10 1/2	10 1/2	6	2	13 3/8
126-8", 12"rise		"	35	10 1/2	10 1/2	5 1/2	8	13 3/8
126-10", 12"rise		"	35	10 1/2	10 1/2	5 1/2	10	13 3/8
126-12", 12"rise		"	35	10 1/2	10 1/2	5 1/2	12	13 3/8
126-16", 12"rise		"	33	10 1/2	10 1/2	5 1/2	16	13 3/8
130-2", 12"rise	130" min - 133"max	127	41	10 1/4	10 1/4	6	2	13 3/8
130-8", 12"rise		"	36	10 1/2	10 1/2	5 1/2	8	13 3/8
130-10", 12"rise		"	35	10 1/2	10 1/2	5 1/2	10	13 3/8
130-12", 12"rise		"	35	10 1/2	10 1/2	5 1/2	12	13 3/8
130-16", 12"rise		"	35	10 1/2	10 1/2	5 1/2	16	13 3/8

** Outside Finished Width on Units with Horizontal Extensions differ from units without Horizontal Extensions.

Call for specific dimensions **

Elliptical Horizontal Extensions Framing Specs - 12" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
134-2",12"rise	134" min-137" max	131	43	10 1/4	10 1/4	6	2	13 3/8
134-8",12"rise		"	36	10 1/2	10 1/2	5 1/2	8	13 3/8
134-10",12"rise		"	36	10 1/2	10 1/2	5 1/2	10	13 3/8
134-12",12"rise		"	35	10 1/2	10 1/2	5 1/2	12	13 3/8
134-16",12"rise		"	35	10 1/2	10 1/2	5 1/2	16	13 3/8
138-2",12"rise	138" min-141" max	135	43	10 1/4	10 1/4	6	2	13 3/8
138-8",12"rise		"	41	10 1/4	10 1/4	6	8	13 3/8
138-10",12"rise		"	36	10 1/2	10 1/2	5 1/2	10	13 3/8
138-12",12"rise		"	36	10 1/2	10 1/2	5 1/2	12	13 3/8
138-16",12"rise		"	35	10 1/2	10 1/2	5 1/2	16	13 3/8
142-2",12"rise	142" min - 145" max	139	46	10 1/4	10 1/4	6	2	13 3/8
142-8",12"rise		"	41	10 1/4	10 1/4	6	8	13 3/8
142-10",12"rise		"	41	10 1/4	10 1/4	6	10	13 3/8
142-12",12"rise		"	36	10 1/2	10 1/2	5 1/2	12	13 3/8
142-16",12"rise		"	35	10 1/2	10 1/2	5 1/2	16	13 3/8
146-2",12"rise	146" min - 149" max	143	46	10 1/4	10 1/4	6	2	13 3/8
146-8",12"rise		"	43	10 1/4	10 1/4	6	8	13 3/8
146-10",12"rise		"	41	10 1/4	10 1/4	6	10	13 3/8
146-12",12"rise		"	41	10 1/4	10 1/4	6	12	13 3/8
146-16",12"rise		"	36	10 1/2	10 1/2	5 1/2	16	13 3/8
150-2",12"rise	150" min - 153" max	147	49	10 1/4	10 1/4	6	2	13 3/8
150-8",12"rise		"	43	10 1/4	10 1/4	6	8	13 3/8
150-10",12"rise		"	43	10 1/4	10 1/4	6	10	13 3/8
150-12",12"rise		"	41	10 1/4	10 1/4	6	12	13 3/8
150-16",12"rise		"	36	10 1/2	10 1/2	5 1/2	16	13 3/8
154-2",12"rise	154" min - 157"max	151	49	10 1/4	10 1/4	5 3/4	2	13 3/8
154-8",12"rise		"	46	10 1/4	10 1/4	6	8	13 3/8
154-10",12"rise		"	43	10 1/4	10 1/4	6	10	13 3/8
154-12",12"rise		"	43	10 1/4	10 1/4	6	12	13 3/8
154-16",12"rise		"	41	10 1/4	10 1/4	6	16	13 3/8
158-2",12"rise	158" min - 161" max	155	51	10 1/4	10 1/4	5 3/4	2	13 3/8
158-8",12"rise		"	46	10 1/4	10 1/4	6	8	13 3/8
158-10",12"rise		"	46	10 1/4	10 1/4	6	10	13 3/8
158-12",12"rise		"	43	10 1/4	10 1/4	6	12	13 3/8
158-16",12"rise		"	41	10 1/4	10 1/4	6	16	13 3/8
162-2",12"rise	162" min - 165" max	159	51	10 1/4	10 1/4	5 3/4	2	13 3/8
162-8",12"rise		"	49	10 1/4	10 1/4	5 3/4	8	13 3/8
162-10",12"rise		"	46	10 1/4	10 1/4	6	10	13 3/8
162-12",12"rise		"	46	10 1/4	10 1/4	6	12	13 3/8
162-16",12"rise		"	43	10 1/4	10 1/4	6	16	13 3/8
166-2",12"rise	166" min - 169" max	163	53	10 1/4	10 1/4	5 3/4	2	13 3/8
166-8",12"rise		"	49	10 1/4	10 1/4	5 3/4	8	13 3/8
166-10",12"rise		"	49	10 1/4	10 1/4	5 3/4	10	13 3/8
166-12",12"rise		"	46	10 1/4	10 1/4	6	12	13 3/8
166-16",12"rise		"	43	10 1/4	10 1/4	6	16	13 3/8
170-2",12"rise	170" min - 173" max	167	53	10 1/4	10 1/4	5 3/4	2	13 3/8
170-8",12"rise		"	51	10 1/4	10 1/4	5 3/4	8	13 3/8
170-10",12"rise		"	49	10 1/4	10 1/4	5 3/4	10	13 3/8
170-12",12"rise		"	49	10 1/4	10 1/4	5 3/4	12	13 3/8
170-16",12"rise		"	46	10 1/4	10 1/4	6	16	13 3/8



Elliptical Horizontal Extensions Framing Specs - 20" Rise


Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
62-2",20"rise	62min - 65"max	59	17	17 1/2	8	12 1/2	2	21 3/8
62-8",20"rise		"	14	17	7 1/2	11	8	21 3/8
62-10",20"rise		"	16	16	8	8	10	21 3/8
62-12",20"rise		"	15	15	7	7	12	21 3/8
62-16",20"rise		"	11	11	6	6	16	21 3/8
66-2",20"rise	66min - 69"max	63	18	17 1/2	8	12 1/2	2	21 3/8
66-8",20"rise		"	15	17 1/2	7 1/2	12 1/2	8	21 3/8
66-10",20"rise		"	14	17	7 1/2	11	10	21 3/8
66-12",20"rise		"	16	16	8	8	12	21 3/8
66-16",20"rise		"	13	13	7	7	16	21 3/8
70-2",20"rise	70min - 73"max	67	19	17 1/2	9	12 1/2	2	21 3/8
70-8",20"rise		"	16	17 1/2	8	12 1/2	8	21 3/8
70-10",20"rise		"	15	17 1/2	7 1/2	12 1/2	10	21 3/8
70-12",20"rise		"	14	17	7 1/2	11	12	21 3/8
70-16",20"rise		"	15	15	7	7	16	21 3/8
74-2",20"rise	74min - 77"max	71	20	17 1/2	10	12 1/2	2	21 3/8
74-8",20"rise		"	17	17 1/2	8	12 1/2	8	21 3/8
74-10",20"rise		"	16	17 1/2	8	12 1/2	10	21 3/8
74-12",20"rise		"	15	17 1/2	7 1/2	12 1/2	12	21 3/8
74-16",20"rise		"	16	16	8	8	16	21 3/8
78-2",20"rise	78min - 81"max	75	21	17 1/2	10	12 1/2	2	21 3/8
78-8",20"rise		"	18	17 1/2	8	12 1/2	8	21 3/8
78-10",20"rise		"	17	17 1/2	8	12 1/2	10	21 3/8
78-12",20"rise		"	16	17 1/2	8	12 1/2	12	21 3/8
78-16",20"rise		"	14	17	7 1/2	11	16	21 3/8
82-2",20"rise	82min - 85"max	79	22	17 1/2	11	12 1/2	2	21 3/8
82-8",20"rise		"	19	17 1/2	9	12 1/2	8	21 3/8
82-10",20"rise		"	18	17 1/2	8	12 1/2	10	21 3/8
82-12",20"rise		"	17	17 1/2	8	12 1/2	12	21 3/8
82-16",20"rise		"	15	17 1/2	7 1/2	12 1/2	16	21 3/8
86-2",20"rise	86min - 89"max	83	23	17 1/2	12	12 1/2	2	21 3/8
86-8",20"rise		"	20	17 1/2	10	12 1/2	8	21 3/8
86-10",20"rise		"	19	17 1/2	9	12 1/2	10	21 3/8
86-12",20"rise		"	18	17 1/2	8	12 1/2	12	21 3/8
86-16",20"rise		"	16	17 1/2	8	12 1/2	16	21 3/8
90-2",20"rise	90min - 93"max	87	25	18	12	12 1/2	2	21 3/8
90-8",20"rise		"	21	17 1/2	10	12 1/2	8	21 3/8
90-10",20"rise		"	20	17 1/2	10	12 1/2	10	21 3/8
90-12",20"rise		"	19	17 1/2	9	12 1/2	12	21 3/8
90-16",20"rise		"	17	17 1/2	8	12 1/2	16	21 3/8
94-2",20"rise	94min - 97"max	91	26	18	12	12 1/2	2	21 3/8
94-8",20"rise		"	22	17 1/2	11	12 1/2	8	21 3/8
94-10",20"rise		"	21	17 1/2	10	12 1/2	10	21 3/8
94-12",20"rise		"	20	17 1/2	10	12 1/2	12	21 3/8
94-16",20"rise		"	18	17 1/2	8	12 1/2	16	21 3/8

** Outside Finished Width on Units with Horizontal Extensions differ from units without Horizontal Extensions.

Call for specific dimensions **

Elliptical Horizontal Extensions Framing Specs - 20" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
98-2",20"rise	98min - 101"max	95	27	18	13	12 1/2	2	21 3/8
98-8",20"rise		"	23	17 1/2	12	12 1/2	8	21 3/8
98-10",20"rise		"	22	17 1/2	11	12 1/2	10	21 3/8
98-12",20"rise		"	21	17 1/2	10	12 1/2	12	21 3/8
98-16",20"rise		"	19	17 1/2	9	12 1/2	16	21 3/8
102-2",20"rise	102"min - 105"max	99	28	18	13	12 1/2	2	21 3/8
102-8",20"rise		"	25	18	12	12 1/2	8	21 3/8
102-10",20"rise		"	23	17 1/2	12	12 1/2	10	21 3/8
102-12",20"rise		"	22	17 1/2	11	12 1/2	12	21 3/8
102-16",20"rise		"	20	17 1/2	10	12 1/2	16	21 3/8
106-2",20"rise	106"min - 109"max	103	29	18	13	12 1/2	2	21 3/8
106-8",20"rise		"	26	18	12	12 1/2	8	21 3/8
106-10",20"rise		"	25	18	12	12 1/2	10	21 3/8
106-12",20"rise		"	23	17 1/2	12	12 1/2	12	21 3/8
106-16",20"rise		"	21	17 1/2	10	12 1/2	16	21 3/8
110-2",20"rise	110" min - 113"max	107	30	18	13	12 1/2	2	21 3/8
110-8",20"rise		"	27	18	13	12 1/2	8	21 3/8
110-10",20"rise		"	26	18	12	12 1/2	10	21 3/8
110-12",20"rise		"	25	18	12	12 1/2	12	21 3/8
110-16",20"rise		"	22	17 1/2	11	12 1/2	16	21 3/8
114-2",20"rise	114" min - 117"max	111	31	18	13	12 1/2	2	21 3/8
114-8",20"rise		"	28	18	13	12 1/2	8	21 3/8
114-10",20"rise		"	27	18	13	12 1/2	10	21 3/8
114-12",20"rise		"	26	18	12	12 1/2	12	21 3/8
114-16",20"rise		"	23	17 1/2	12	12 1/2	16	21 3/8
118-2",20"rise	118"min - 121"max	115	33	18 1/2	13 1/2	12 1/2	2	21 3/8
118-8",20"rise		"	29	18	13	12 1/2	8	21 3/8
118-10",20"rise		"	28	18	13	12 1/2	10	21 3/8
118-12",20"rise		"	27	18	13	12 1/2	12	21 3/8
118-16",20"rise		"	25	18	12	12 1/2	16	21 3/8
122-2",20"rise	122"min - 125"max	119	33	18 1/2	13 1/2	12 1/2	2	21 3/8
122-8",20"rise		"	30	18	13	12 1/2	8	21 3/8
122-10",20"rise		"	29	18	13	12 1/2	10	21 3/8
122-12",20"rise		"	28	18	13	12 1/2	12	21 3/8
122-16",20"rise		"	26	18	12	12 1/2	16	21 3/8
126-2",20"rise	126" min- 129"max	123	35	18 1/2	14 1/2	12 1/2	2	21 3/8
126-8",20"rise		"	31	18	13	12 1/2	8	21 3/8
126-10",20"rise		"	30	18	13	12 1/2	10	21 3/8
126-12",20"rise		"	29	18	13	12 1/2	12	21 3/8
126-16",20"rise		"	27	18	13	12 1/2	16	21 3/8
130-2",20"rise	130" min - 133"max	127	35	18 1/2	14 1/2	12 1/2	2	21 3/8
130-8",20"rise		"	33	18 1/2	13 1/2	12 1/2	8	21 3/8
130-10",20"rise		"	31	18	13	12 1/2	10	21 3/8
130-12",20"rise		"	30	18	13	12 1/2	12	21 3/8
130-16",20"rise		"	28	18	13	12 1/2	16	21 3/8
134-2",20"rise	134" min- 137" max	131	37	18 1/2	15	12 1/2	2	21 3/8
134-8",20"rise		"	33	18 1/2	13 1/2	12 1/2	8	21 3/8
134-10",20"rise		"	33	18 1/2	13 1/2	12 1/2	10	21 3/8
134-12",20"rise		"	31	18	13	12 1/2	12	21 3/8
134-16",20"rise		"	29	18	13	12 1/2	16	21 3/8




Elliptical Horizontal Extensions Framing Specs - 20" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
138-2",20"rise	138" min-141" max	135	37	18 1/2	15	12 1/2	2	21 3/8
138-8",20"rise		"	35	18 1/2	14 1/2	12 1/2	8	21 3/8
138-10",20"rise		"	33	18 1/2	13 1/2	12 1/2	10	21 3/8
138-12",20"rise		"	33	18 1/2	13 1/2	12 1/2	12	21 3/8
138-16",20"rise		"	30	18	13	12 1/2	16	21 3/8
142-2",20"rise	142" min - 145" max	139	39	18 1/2	15	12 1/2	2	21 3/8
142-8",20"rise		"	35	18 1/2	14 1/2	12 1/2	8	21 3/8
142-10",20"rise		"	35	18 1/2	14 1/2	12 1/2	10	21 3/8
142-12",20"rise		"	33	18 1/2	13 1/2	12 1/2	12	21 3/8
142-16",20"rise		"	31	18	13	12 1/2	16	21 3/8
146-2",20"rise	146" min - 149" max	143	39	18 1/2	15	12 1/2	2	21 3/8
146-8",20"rise		"	37	18 1/2	15	12 1/2	8	21 3/8
146-10",20"rise		"	35	18 1/2	14 1/2	12 1/2	10	21 3/8
146-12",20"rise		"	35	18 1/2	14 1/2	12 1/2	12	21 3/8
146-16",20"rise		"	33	18 1/2	13 1/2	12 1/2	16	21 3/8
150-2",20"rise	150" min - 153" max	147	41	18 1/2	16	12 1/2	2	21 3/8
150-8",20"rise		"	37	18 1/2	15	12 1/2	8	21 3/8
150-10",20"rise		"	37	18 1/2	15	12 1/2	10	21 3/8
150-12",20"rise		"	35	18 1/2	14 1/2	12 1/2	12	21 3/8
150-16",20"rise		"	33	18 1/2	13 1/2	12 1/2	16	21 3/8
154-2",20"rise	154" min - 157"max	151	41	18 1/2	16	12 1/2	2	21 3/8
154-8",20"rise		"	39	18 1/2	15	12 1/2	8	21 3/8
154-10",20"rise		"	37	18 1/2	15	12 1/2	10	21 3/8
154-12",20"rise		"	37	18 1/2	15	12 1/2	12	21 3/8
154-16",20"rise		"	35	18 1/2	14 1/2	12 1/2	16	21 3/8
158-2",20"rise	158" min - 161" max	155	43	18 1/2	17	12 1/2	2	21 3/8
158-8",20"rise		"	39	18 1/2	15	12 1/2	8	21 3/8
158-10",20"rise		"	39	18 1/2	15	12 1/2	10	21 3/8
158-12",20"rise		"	37	18 1/2	15	12 1/2	12	21 3/8
158-16",20"rise		"	35	18 1/2	14 1/2	12 1/2	16	21 3/8
162-2",20"rise	162" min - 165" max	159	43	18 1/2	17	12 1/2	2	21 3/8
162-8",20"rise		"	41	18 1/2	16	12 1/2	8	21 3/8
162-10",20"rise		"	39	18 1/2	15	12 1/2	10	21 3/8
162-12",20"rise		"	39	18 1/2	15	12 1/2	12	21 3/8
162-16",20"rise		"	37	18 1/2	15	12 1/2	16	21 3/8
166-2",20"rise	166" min - 169" max	163	46	18 1/2	18	12 1/2	2	21 3/8
166-8",20"rise		"	41	18 1/2	16	12 1/2	8	21 3/8
166-10",20"rise		"	41	18 1/2	16	12 1/2	10	21 3/8
166-12",20"rise		"	39	18 1/2	15	12 1/2	12	21 3/8
166-16",20"rise		"	37	18 1/2	15	12 1/2	16	21 3/8
170-2",20"rise	170" min - 173" max	167	46	18 1/2	18	12 1/2	2	21 3/8
170-8",20"rise		"	43	18 1/2	17	12 1/2	8	21 3/8
170-10",20"rise		"	41	18 1/2	16	12 1/2	10	21 3/8
170-12",20"rise		"	41	18 1/2	16	12 1/2	12	21 3/8
170-16",20"rise		"	39	18 1/2	15	12 1/2	16	21 3/8

** Outside Finished Width on Units with Horizontal Extensions differ from units without Horizontal Extensions.
Call for specific dimensions **

Eyebrow Horizontal Extensions Framing Specs - 12" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
62-2", 12"rise	62min - 65"max	59	20	12	12	9	2	13 3/8
62-8", 12"rise		"	16	11	11	7	8	13 3/8
62-10", 12"rise		"	15	10 1/2	10 1/2	7	10	13 3/8
62-12", 12"rise		"	14	10	10	5 1/2	12	13 3/8
62-16", 12"rise		"	12	8 1/2	8 1/2	5 1/2	16	13 3/8
66-2", 12"rise	66min - 69"max	63	20	12	12	9	2	13 3/8
66-8", 12"rise		"	17	11 1/2	11 1/2	8	8	13 3/8
66-10", 12"rise		"	16	11	11	7	10	13 3/8
66-12", 12"rise		"	15	10 1/2	10 1/2	7	12	13 3/8
66-16", 12"rise		"	12	9	9	5 1/2	16	13 3/8
70-2", 12"rise	70min - 73"max	67	20	11 1/2			2	13 3/8
70-8", 12"rise		"	20	12	12	8	8	13 3/8
70-10", 12"rise		"	17	11 1/2	11 1/2	8	10	13 3/8
70-12", 12"rise		"	16	11	11	7	12	13 3/8
70-16", 12"rise		"	14	10	10	5 1/2	16	13 3/8
74-2", 12"rise	74min - 77"max	71	21	11 1/2			2	13 3/8
74-8", 12"rise		"	20	12	12	9	8	13 3/8
74-10", 12"rise		"	20	12	12	8	10	13 3/8
74-12", 12"rise		"	20	11 1/2	11 1/2	8	12	13 3/8
74-16", 12"rise		"	15	10 1/2	10 1/2	7	16	13 3/8
78-2", 12"rise	78min - 81"max	75	23	11 1/2			2	13 3/8
78-8", 12"rise		"	20	12	12	9	8	13 3/8
78-10", 12"rise		"	20	12	12	9	10	13 3/8
78-12", 12"rise		"	20	12	12	8	12	13 3/8
78-16", 12"rise		"	16	11	11	7	16	13 3/8
82-2", 12"rise	82min - 85"max	79	24	11 1/2			2	13 3/8
82-8", 12"rise		"	20	11 1/2			8	13 3/8
82-10", 12"rise		"	20	12	12	9	10	13 3/8
82-12", 12"rise		"	20	12	12	9	12	13 3/8
82-16", 12"rise		"	17	11 1/2	11 1/2	8	16	13 3/8
86-2", 12"rise	86min - 89"max	83	25	11 1/2			2	13 3/8
86-8", 12"rise		"	21	11 1/2			8	13 3/8
86-10", 12"rise		"	20	11 1/2			10	13 3/8
86-12", 12"rise		"	20	12	12	9	12	13 3/8
86-16", 12"rise		"	20	12	12	8	16	13 3/8
90-2", 12"rise	90min - 93"max	87	26	11 1/2			2	13 3/8
90-8", 12"rise		"	23	11 1/2			8	13 3/8
90-10", 12"rise		"	21	11 1/2			10	13 3/8
90-12", 12"rise		"	20	11 1/2			12	13 3/8
90-16", 12"rise		"	20	12	12	9	16	13 3/8
94-2", 12"rise	94min - 97"max	91	29	11			2	13 3/8
94-8", 12"rise		"	24	11 1/2			8	13 3/8
94-10", 12"rise		"	23	11 1/2			10	13 3/8
94-12", 12"rise		"	21	11 1/2			12	13 3/8
94-16", 12"rise		"	20	12	12	9	16	13 3/8




Eyebrow Horizontal Extensions Framing Specs - 12" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
98-2", 12"rise	98min - 101"max	95	30	11	Only Requires "A" and "B" Framing Dimensions		2	13 3/8
98-8", 12"rise		"	25	11 1/2			8	13 3/8
98-10", 12"rise		"	24	11 1/2			10	13 3/8
98-12", 12"rise		"	23	11 1/2			12	13 3/8
98-16", 12"rise		"	20	11 1/2			16	13 3/8
102-2", 12"rise	102"min - 105"max	99	31	11			2	13 3/8
102-8", 12"rise		"	26	11 1/2			8	13 3/8
102-10", 12"rise		"	25	11 1/2			10	13 3/8
102-12", 12"rise		"	24	11 1/2			12	13 3/8
102-16", 12"rise		"	21	11 1/2			16	13 3/8
106-2", 12"rise	106"min - 109"max	103	32	11			2	13 3/8
106-8", 12"rise		"	29	11			8	13 3/8
106-10", 12"rise		"	26	11 1/2			10	13 3/8
106-12", 12"rise		"	25	11 1/2			12	13 3/8
106-16", 12"rise		"	23	11 1/2			16	13 3/8
110-2", 12"rise	110" min - 113"max	107	34	11			2	13 3/8
110-8", 12"rise		"	30	11			8	13 3/8
110-10", 12"rise		"	29	11			10	13 3/8
110-12", 12"rise		"	26	11 1/2			12	13 3/8
110-16", 12"rise		"	24	11 1/2			16	13 3/8
114-2", 12"rise	114" min - 117"max	111	35	11			2	13 3/8
114-8", 12"rise		"	31	11			8	13 3/8
114-10", 12"rise		"	30	11			10	13 3/8
114-12", 12"rise		"	29	11			12	13 3/8
114-16", 12"rise		"	25	11 1/2			16	13 3/8
118-2", 12"rise	118"min - 121"max	115	36	11			2	13 3/8
118-8", 12"rise		"	32	11			8	13 3/8
118-10", 12"rise		"	31	11			10	13 3/8
118-12", 12"rise		"	30	11			12	13 3/8
118-16", 12"rise		"	26	11 1/2			16	13 3/8
122-2", 12"rise	122"min - 125"max	119	37	11	2	13 3/8		
122-8", 12"rise		"	34	11	8	13 3/8		
122-10", 12"rise		"	32	11	10	13 3/8		
122-12", 12"rise		"	31	11	12	13 3/8		
122-16", 12"rise		"	29	11	16	13 3/8		
126-2", 12"rise	126" min- 129"max	123	38	11	2	13 3/8		
126-8", 12"rise		"	35	11	8	13 3/8		
126-10", 12"rise		"	34	11	10	13 3/8		
126-12", 12"rise		"	32	11	12	13 3/8		
126-16", 12"rise		"	30	11	16	13 3/8		
130-2", 12"rise	130" min - 133"max	127	40	11	2	13 3/8		
130-8", 12"rise		"	36	11	8	13 3/8		
130-10", 12"rise		"	35	11	10	13 3/8		
130-12", 12"rise		"	34	11	12	13 3/8		
130-16", 12"rise		"	31	11	16	13 3/8		

Eyebrow Horizontal Extensions Framing Specs - 12" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
134-2", 12"rise	134" min-137" max	131	41	11	Only Requires "A" and "B" Framing Dimensions	Only Requires "A" and "B" Framing Dimensions	2	13 3/8
134-8", 12"rise		"	37	11			8	13 3/8
134-10", 12"rise		"	36	11			10	13 3/8
134-12", 12"rise		"	35	11			12	13 3/8
134-16", 12"rise		"	32	11			16	13 3/8
138-2", 12"rise	138" min-141" max	135	43	11			2	13 3/8
138-8", 12"rise		"	38	11			8	13 3/8
138-10", 12"rise		"	37	11			10	13 3/8
138-12", 12"rise		"	36	11			12	13 3/8
138-16", 12"rise		"	34	11			16	13 3/8
142-2", 12"rise	142" min - 145" max	139	44	11			2	13 3/8
142-8", 12"rise		"	40	11			8	13 3/8
142-10", 12"rise		"	38	11			10	13 3/8
142-12", 12"rise		"	37	11			12	13 3/8
142-16", 12"rise		"	35	11			16	13 3/8
146-2", 12"rise	146" min - 149" max	143	45	11			2	13 3/8
146-8", 12"rise		"	41	11			8	13 3/8
146-10", 12"rise		"	40	11			10	13 3/8
146-12", 12"rise		"	38	11			12	13 3/8
146-16", 12"rise		"	36	11			16	13 3/8
150-2", 12"rise	150" min - 153" max	147	46	11			2	13 3/8
150-8", 12"rise		"	43	11			8	13 3/8
150-10", 12"rise		"	41	11			10	13 3/8
150-12", 12"rise		"	40	11			12	13 3/8
150-16", 12"rise		"	37	11			16	13 3/8
154-2", 12"rise	154" min - 157" max	151	48	11			2	13 3/8
154-8", 12"rise		"	44	11			8	13 3/8
154-10", 12"rise		"	43	11			10	13 3/8
154-12", 12"rise		"	41	11	12	13 3/8		
154-16", 12"rise		"	38	11	16	13 3/8		
158-2", 12"rise	158" min - 161" max	155	49	11	2	13 3/8		
158-8", 12"rise		"	45	11	8	13 3/8		
158-10", 12"rise		"	44	11	10	13 3/8		
158-12", 12"rise		"	43	11	12	13 3/8		
158-16", 12"rise		"	40	11	16	13 3/8		
162-2", 12"rise	162" min - 165" max	159	50	11	2	13 3/8		
162-8", 12"rise		"	46	11	8	13 3/8		
162-10", 12"rise		"	45	11	10	13 3/8		
162-12", 12"rise		"	44	11	12	13 3/8		
162-16", 12"rise		"	41	11	16	13 3/8		
166-2", 12"rise	166" min - 169" max	163	51	11	2	13 3/8		
166-8", 12"rise		"	48	11	8	13 3/8		
166-10", 12"rise		"	46	11	10	13 3/8		
166-12", 12"rise		"	45	11	12	13 3/8		
166-16", 12"rise		"	43	11	16	13 3/8		
170-2", 12"rise	170" min - 173" max	167	52	11	2	13 3/8		
170-8", 12"rise		"	49	11	8	13 3/8		
170-10", 12"rise		"	48	11	10	13 3/8		
170-12", 12"rise		"	46	11	12	13 3/8		
170-16", 12"rise		"	44	11	16	13 3/8		




Eyebrow Horizontal Extensions Framing Specs - 20" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
62-2", 20"rise	62min - 65"max	59	21	19	12	12	2	21 3/8
62-8", 20"rise		"	15	17	8	11	8	21 3/8
62-10", 20"rise		"	16	16	8	8	10	21 3/8
62-12", 20"rise		"	15	15	7	7	12	21 3/8
62-16", 20"rise		"	11	11	6	6	16	21 3/8
66-2", 20"rise	66min - 69"max	63	22	19	14	12	2	21 3/8
66-8", 20"rise		"	17	18	9	11	8	21 3/8
66-10", 20"rise		"	15	17	8	11	10	21 3/8
66-12", 20"rise		"	16	16	8	8	12	21 3/8
66-16", 20"rise		"	13	13	7	7	16	21 3/8
70-2", 20"rise	70min - 73"max	67	24	19	16	12	2	21 3/8
70-8", 20"rise		"	19	18	11	11	8	21 3/8
70-10", 20"rise		"	17	18	9	11	10	21 3/8
70-12", 20"rise		"	15	17	8	11	12	21 3/8
70-16", 20"rise		"	15	15	7	7	16	21 3/8
74-2", 20"rise	74min - 77"max	71	24	19	16	12	2	21 3/8
74-8", 20"rise		"	21	19	12	12	8	21 3/8
74-10", 20"rise		"	19	18	11	11	10	21 3/8
74-12", 20"rise		"	17	18	9	11	12	21 3/8
74-16", 20"rise		"	16	16	8	8	16	21 3/8
78-2", 20"rise	78min - 81"max	75	28	19	19	12	2	21 3/8
78-8", 20"rise		"	22	19	14	12	8	21 3/8
78-10", 20"rise		"	21	19	12	12	10	21 3/8
78-12", 20"rise		"	19	18	11	11	12	21 3/8
78-16", 20"rise		"	14	17	7.5	11	16	21 3/8
82-2", 20"rise	82min - 85"max	79	28	19	19	12	2	21 3/8
82-8", 20"rise		"	24	19	16	12	8	21 3/8
82-10", 20"rise		"	22	19	14	12	10	21 3/8
82-12", 20"rise		"	21	19	12	12	12	21 3/8
82-16", 20"rise		"	17	18	9	11	16	21 3/8
86-2", 20"rise	86min - 89"max	83	31	19	22	12 1/2	2	21 3/8
86-8", 20"rise		"	24	19	16	12	8	21 3/8
86-10", 20"rise		"	24	19	16	12	10	21 3/8
86-12", 20"rise		"	22	19	14	12	12	21 3/8
86-16", 20"rise		"	19	18	11	11	16	21 3/8
90-2", 20"rise	90min - 93"max	87	31	19	22	12 1/2	2	21 3/8
90-8", 20"rise		"	28	19	19	12	8	21 3/8
90-10", 20"rise		"	24	19	16	12	10	21 3/8
90-12", 20"rise		"	24	19	16	12	12	21 3/8
90-16", 20"rise		"	21	19	12	12	16	21 3/8
94-2", 20"rise	94min - 97"max	91	34	19	25	13	2	21 3/8
94-8", 20"rise		"	28	19	19	12	8	21 3/8
94-10", 20"rise		"	28	19	19	12	10	21 3/8
94-12", 20"rise		"	24	19	16	12	12	21 3/8
94-16", 20"rise		"	22	19	14	12	16	21 3/8

** Outside Finished Width on Units with Horizontal Extensions differ from units without Horizontal Extensions.
Call for specific dimensions **

Eyebrow Horizontal Extensions Framing Specs- 20" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
98-2",20"rise	98min - 101"max	95	34	19	25	13	2	21 3/8
98-8",20"rise		"	31	19	22	12 1/2	8	21 3/8
98-10",20"rise		"	28	19	19	12	10	21 3/8
98-12",20"rise		"	28	19	19	12	12	21 3/8
98-16",20"rise		"	24	19	16	12	16	21 3/8
102-2",20"rise	102"min - 105"max	99	36	19 1/2	26	13	2	21 3/8
102-8",20"rise		"	31	19	22	12 1/2	8	21 3/8
102-10",20"rise		"	31	19	22	12 1/2	10	21 3/8
102-12",20"rise		"	28	19	19	12	12	21 3/8
102-16",20"rise		"	24	19	16	12	16	21 3/8
106-2",20"rise	106"min - 109"max	103	36	19 1/2	26	13	2	21 3/8
106-8",20"rise		"	34	19	25	13	8	21 3/8
106-10",20"rise		"	31	19	22	12 1/2	10	21 3/8
106-12",20"rise		"	31	19	22	12 1/2	12	21 3/8
106-16",20"rise		"	28	19	19	12	16	21 3/8
110-2",20"rise	110" min - 113"max	107	39	19 1/2	28	14	2	21 3/8
110-8",20"rise		"	34	19	25	13	8	21 3/8
110-10",20"rise		"	34	19	25	13	10	21 3/8
110-12",20"rise		"	31	19	22	12 1/2	12	21 3/8
110-16",20"rise		"	28	19	19	12	16	21 3/8
114-2",20"rise	114" min - 117"max	111	39	19 1/2	28	14	2	21 3/8
114-8",20"rise		"	36	19 1/2	26	13	8	21 3/8
114-10",20"rise		"	34	19	25	13	10	21 3/8
114-12",20"rise		"	34	19	25	13	12	21 3/8
114-16",20"rise		"	31	19	22	12 1/2	16	21 3/8
118-2",20"rise	118"min - 121"max	115	42	20	30	14	2	21 3/8
118-8",20"rise		"	36	19 1/2	26	13	8	21 3/8
118-10",20"rise		"	36	19 1/2	26	13	10	21 3/8
118-12",20"rise		"	34	19	25	13	12	21 3/8
118-16",20"rise		"	31	19	22	12 1/2	16	21 3/8
122-2",20"rise	122"min - 125"max	119	42	20	30	14	2	21 3/8
122-8",20"rise		"	39	19 1/2	28	14	8	21 3/8
122-10",20"rise		"	36	19 1/2	26	13	10	21 3/8
122-12",20"rise		"	36	19 1/2	26	13	12	21 3/8
122-16",20"rise		"	34	19	25	13	16	21 3/8
126-2",20"rise	126" min- 129"max	123	45	20	31	14	2	21 3/8
126-8",20"rise		"	39	19 1/2	28	14	8	21 3/8
126-10",20"rise		"	39	19 1/2	28	14	10	21 3/8
126-12",20"rise		"	36	19 1/2	26	13	12	21 3/8
126-16",20"rise		"	34	19	25	13	16	21 3/8
130-2",20"rise	130" min - 133"max	127	45	20	31	14	2	21 3/8
130-8",20"rise		"	42	20	30	14	8	21 3/8
130-10",20"rise		"	39	19 1/2	28	14	10	21 3/8
130-12",20"rise		"	39	19 1/2	28	14	12	21 3/8
130-16",20"rise		"	36	19 1/2	26	13	16	21 3/8
134-2", 20" rise	134" min - 137"max	131	48	20	33	14	2	21 3/8
134-8", 20" rise		"	42	20	30	14	8	21 3/8
134-10", 20" rise		"	42	20	30	14	10	21 3/8
134-12", 20" rise		"	39	19 1/2	28	14	12	21 3/8
134-16", 20" rise		"	36	19 1/2	26	13	16	21 3/8



Eyebrow Horizontal Extensions Framing Specs - 20" Rise

Opening Model #	Rough Opening Width	Finished Opening Width	"A"	"B"	"C"	"D"	"E"	"F"
138-2",20"rise	138" min - 141" max	135	48	20	33	14	2	21 3/8
138-8",20"rise		"	45	20	31	14	8	21 3/8
138-10",20"rise		"	42	20	30	14	10	21 3/8
138-12",20"rise		"	42	20	30	14	12	21 3/8
138-16",20"rise		"	39	19 1/2	28	14	16	21 3/8
142-2",20"rise	142" min - 145" max	139	51	20	36	14	2	21 3/8
142-8",20"rise		"	45	20	31	14	8	21 3/8
142-10",20"rise		"	45	20	31	14	10	21 3/8
142-12",20"rise		"	42	20	30	14	12	21 3/8
142-16",20"rise		"	39	19 1/2	28	14	16	21 3/8
146-2",20"rise	146" min - 149" max	143	51	20	36	14	2	21 3/8
146-8",20"rise		"	48	20	33	14	8	21 3/8
146-10",20"rise		"	45	20	31	14	10	21 3/8
146-12",20"rise		"	45	20	31	14	12	21 3/8
146-16",20"rise		"	42	20	30	14	16	21 3/8
150-2",20"rise	150" min - 153" max	147	54	20	39	14	2	21 3/8
150-8",20"rise		"	48	20	33	14	8	21 3/8
150-10",20"rise		"	48	20	33	14	10	21 3/8
150-12",20"rise		"	45	20	31	14	12	21 3/8
150-16",20"rise		"	42	20	30	14	16	21 3/8
154-2",20"rise	154" min - 157"max	151	54	20	39	14	2	21 3/8
154-8",20"rise		"	51	20	36	14	8	21 3/8
154-10",20"rise		"	48	20	33	14	10	21 3/8
154-12",20"rise		"	48	20	33	14	12	21 3/8
154-16",20"rise		"	45	20	31	14	16	21 3/8
158-2",20"rise	158" min - 161" max	155	54	20	39	14	2	21 3/8
158-8",20"rise		"	51	20	36	14	8	21 3/8
158-10",20"rise		"	51	20	36	14	10	21 3/8
158-12",20"rise		"	48	20	33	14	12	21 3/8
158-16",20"rise		"	45	20	31	14	16	21 3/8
162-2",20"rise	162" min - 165" max	159	60	20	43	14	2	21 3/8
162-8",20"rise		"	54	20	39	14	8	21 3/8
162-10",20"rise		"	51	20	36	14	10	21 3/8
162-12",20"rise		"	51	20	36	14	12	21 3/8
162-16",20"rise		"	48	20	33	14	16	21 3/8
166-2",20"rise	166" min - 169" max	163	60	20	43	14	2	21 3/8
166-8",20"rise		"	54	20	39	14	8	21 3/8
166-10",20"rise		"	54	20	39	14	10	21 3/8
166-12",20"rise		"	51	20	36	14	12	21 3/8
166-16",20"rise		"	48	20	33	14	16	21 3/8
170-2",20"rise	170" min - 173" max	167	60	20	43	14	2	21 3/8
170-8",20"rise		"	54	20	39	14	8	21 3/8
170-10",20"rise		"	54	20	39	14	10	21 3/8
170-12",20"rise		"	54	20	39	14	12	21 3/8
170-16",20"rise		"	51	20	36	14	16	21 3/8

** Outside Finished Width on Units with Horizontal Extensions differ from units without Horizontal Extensions.
Call for specific dimensions **